EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	Periodical\$5 with transmit\$5 with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr or qualit\$5)	US-PGPUB; USPAT	OR	ON	2008/12/11 13:32
L2	8	Periodical\$5 with transmit\$5 with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr or qualit\$5) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/11 13:33
L6	238	periodical\$5 with transmit\$5 with average\$3 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/11 13:42
L7	6	(rate\$3 with request with re \$transmission) and (measur\$3 or determin\$5 or estimat\$3) and @ad< "20030814" and 370/276,282,286,290.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/11 16:32
L8	0	(rate\$3 with request with re \$transmission) and (measur\$3 or determin\$5 or estimat\$3) and @ad< "20030814" and 367/14,37,38,43,45.cds.	US-PGPUB; USPAT	OR	ON	2008/12/11 16:33
S1	1	(MANTHA near3 RAMESH).in. and (monitoring near3 measure).clm.	US-PGPUB; USPAT	OR	ON	2008/12/08 15:26
S2	36	"5764699"	US-PGPUB; USPAT	OR	ON	2008/12/08 15:53
S3	1	"5764699".pn.	US-PGPUB; USPAT	OR	ON	2008/12/08 15:53
S5	26	chang\$3 with reception with quality and channel and "370". clss. and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/08 16:00
S6	332	chang\$3 with reception with quality and channel and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/08 16:01
S7	20	(rate\$3 near3 chang\$3) with (recept\$5 with qualit\$3) and channel and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/08 16:02

S8	5	measure\$3 with (rate\$3 near3	US-PGPUB;	OR	ON	2008/12/08
	_	chang\$3) with (recept\$5 with qualit\$3) and channel and @ad< "20030814"	USPAT			16:10
S9	4	(rate\$3 near3 chang\$3) with (recept\$5 with qualit\$3) and channel and feedback and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 09:46
S11	8	(rate\$3 adj chang\$3) with (recept\$5 with qualit\$3) and channel and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 09:48
S12	584	(rate\$3) with (recept\$5 with qualit\$3) and channel and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 09:48
S16	202	measur\$7 with change\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and (channel transmission near3 line) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 10:04
S18	5	measur\$7 with change\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) with ((corresp\$7 bas \$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on))) with ((receive\$3 near3 transmit \$7) or feedback\$3 or back\$3) and (channel (transmission near3 line)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 10:33
S19	5	measur\$7 with rate\$3 with change\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) with ((corresp\$7 bas \$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on))) with ((receive\$3 near3 transmit \$7) or feedback\$3 or back\$3) and (channel (transmission near3 line)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 10:33

S20	21	measur\$7 adj1 change\$3 near3	US-PGPUB;	OR	ON	2008/12/09
		((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	USPAT			10:40
S21	6	measur\$7 near2 rate near2 change\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 10:53
S22	1	("7079858").URPN.	USPAT	OR	ON	2008/12/09 11:53
S23	24	("20010028677" "20040005906" "20040038698" "20040058700" "20040114555" "20040160914" "20040162083" "20040166884" "20050249149" "5305349" "6236865" "6343218" "6363104" "6594499" "6628956" "6691273" "6801565" "6804512" "6928296" "6934268" "7079858" "7177658" "7184791" "7206596").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 11:53
S24	24	("20010028677" "20040005906" "20040038698" "20040058700" "20040114555" "20040160914" "20040162083" "20040166884" "20050249149" "5305349" "6236865" "6343218" "6628956" "6691273" "6801565" "6804512" "6928296" "6934268" "7079858" "7177658" "7184791" "7206596").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 11:53
S25	21	rate\$3 and change\$3 and S23	US-PGPUB; USPAT	OR	ON	2008/12/09 11:53
S26	5	rate\$3 with change\$3 and \$23	US-PGPUB; USPAT	OR	ON	2008/12/09 11:54

S27	316		US-PGPUB; USPAT	OR	ON	2008/12/09 11:56
S28	132	measur\$7 with (rate near2 change\$3) with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 11:56
S29	154	measur\$7 with coherence near3 time and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 12:06
S30	44	measur\$7 with coherence near3 time and feedback and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 12:06
S31	0	rate\$3 near3 change\$3 near3 ber and S23	US-PGPUB; USPAT	OR	ON	2008/12/09 12:27
S32	0	rate\$3 near3 change\$3 near3 (bit\$3 near3 rate) and S23	US-PGPUB; USPAT	OR	ON	2008/12/09 12:28
S33	1	rate\$3 near3 change\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and \$23	US-PGPUB; USPAT	OR	ON	2008/12/09 12:28
S34	2	rate\$3 near3 change\$3 near3 channel\$3 and S23	US-PGPUB; USPAT	OR	ON	2008/12/09 12:28
S35	8	rate\$3 near3 channel\$3 and \$23	US-PGPUB; USPAT	OR	ON	2008/12/09 12:32
S36	689	chang\$7 near3 channel\$3 with qualit\$3 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 12:36
S38	26517	rate\$3 near3 channel\$3 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 12:37
S39	9	(measure\$3 or estimat\$3 or determin\$7) with (rate\$3 near3 chang\$3) with (recept\$5 with qualit\$3) with (channel\$3 or incoming or signal\$3 or recieved) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:02
S40	35	(measure\$3 or estimat\$3 or determin\$7) with (rate\$3 near3 chang\$3) with (ber or snr) with (channel\$3 or incoming or signal \$3 or recieved) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:08

S41	43	(measure\$3 or estimat\$3 or determin\$7) with (rate\$3 near3 chang\$3) with (ber or snr) same (channel\$3 or incoming or signal\$3 or recieved) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:08
S42	45	(measure\$3 or estimat\$3 or determin\$7) with ((rate\$3 near3 chang\$3) or derivativ\$3) with (ber or snr) same (channel \$3 or incoming or signal\$3 or recieved) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:09
S43	16	(measure\$3 or estimat\$3 or determin\$7) with ((rate\$3 adj1 chang\$3) or derivativ\$3) with (ber or snr) same (channel\$3 or incoming or signal\$3 or recieved) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:10
S44		(measure\$3 or estimat\$3 or determin\$7) with ((rate\$3 adj1 chang\$3) or derivativ\$3) near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) same (channel\$3 or incoming or signal\$3 or recieved) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:11
S47	9	(transmission\$3 or transmit\$3) with base\$5 with recieve\$3 with signal\$3 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:36
S48	1	(transmission\$3 or transmit\$3) with base\$5 with recieve\$3 with signal\$3 and wireless and base\$station and (mobile or subscriber\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:37
S49	113	(transmission\$3 or transmit\$3) with (corresp\$7 bas\$5 or base \$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest \$3) near3 on)) with recieve\$3 with signal\$3 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:51

S55	154	(transmission\$3 or transmit\$3) with (corresp\$7 or bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average near3 ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:57
S56	5	(transmission\$3 or transmit\$3) with (corresp\$7 or bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average near3 ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and wireless and base\$station and (mobile or subscriber\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 15:58
S57	244	(transmission\$3 or transmit\$3) with (corresp\$7 or bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 16:34
S58	234	measure\$3 with signal with quality with average\$3 and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/09 16:47

S59	116	(transmission\$3 or transmit\$3) near3 (signal or data) with (bas \$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"		OR	ON	2008/12/10 09:53
S60	84	(transmission\$3 or transmit\$3) near3 (signal or data) with (bas \$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average\$3 near3 ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 09:54
S61	9	perio\$7 with measur\$3 with((bit \$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and \$59 and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 09:59
S62	29	perio\$7 with (measur\$3 or determin\$5 or estimat\$3) with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and \$59 and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:00
S63	1	perio\$7 with (measur\$3 or determin\$5 or estimat\$3) with (rate\$3 near3 change\$3) with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and \$59 and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:02

S64	A	(transmission\$3 or transmit\$3) near3 (format\$3 or form\$3 or certain\$3) with (bas\$5 or base \$0 or based\$0 or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest \$3) near3 on)) with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:35
S65		(transmission\$3 or transmit\$3) near3 (format\$3 or form\$3 or certain\$3 or kind\$3) with (bas \$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol \$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:36
S66	тининтининтининтининтининтининтининтин	(transmission\$3 or transmit\$3) near3 (format\$3 or form\$3 or certain\$3 or kind\$3 or speci\$7) with (bas\$5 or base\$0n or based\$0n or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest \$3) near3 on)) with average\$3 with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:36
S69	37	perio\$7 with (measur\$3 or determin\$5 or estimat\$3) with (rate\$3 near3 change\$3) with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 10:54

S70	12	perio\$7 near2 (measur\$3 or determin\$5 or estimat\$3) with (rate\$3 near3 change\$3) with ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 13:55
S71	8	perio\$7 with (measur\$3 or determin\$5 or estimat\$3) near3 (rate\$3 near3 change\$3) near3 ((bit\$3 near3 rate\$3) or ber or (symbol\$3 near3 rate\$3) or ser or snr or (signal near3 (noise or interferen\$3) near3 ratio\$3) or sir or sinr) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 13:59
S72	1	10/189175.app.	US-PGPUB; USPAT	OR	ON	2008/12/10 14:28
S73	278	average with (lowest or smallest) with (amplitu\$7 or magnitu\$7)	US-PGPUB; USPAT	OR	ON	2008/12/10 14:37
S74	188	average with (lowest or smallest) with (amplitu\$7 or magnitu\$7) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:38
S75	5	average with (lowest or smallest) with (amplitu\$7 or magnitu\$7) and @ad<"20030814" and sorted with (amplitu\$7 or magnitu\$7)	US-PGPUB; USPAT	OR	ON	2008/12/10 14:39
S76	12	average with (lowest or smallest) with (amplitu\$7 or magnitu\$7) and @ad<"20030814" and sor\$5 with (amplitu\$7 or magnitu\$7)	US-PGPUB; USPAT	OR	ON	2008/12/10 14:39
S77	592	(rate\$3 near3 change\$3) with spectru\$7	US-PGPUB; USPAT	OR	ON	2008/12/10 14:45
S78	404	(rate\$3 near3 change\$3) with spectru\$7 and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:46
S79	0	((rate\$3 near3 change\$3) with spectru\$7) and ((rate\$3 near3 change\$3) with re\$transmission \$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:49
S80	0	((rate\$3 near3 change\$3) with spectru\$7) and ((rate\$3 near3 change\$3) same re \$transmission\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:49

S81	127	((rate\$3 near3 change\$3) same re\$transmission\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:49
S82	112	((rate\$3 near3 change\$3) with spectru\$7) and ((rate\$3 near3 change\$3) same (re \$transmission\$3 or transmit\$3 or feedback or again\$3)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:50
S83	79	((rate\$3 adj3 change\$3) with spectru\$7) and ((rate\$3 near3 change\$3) same (re \$transmission\$3 or transmit\$3 or feedback or again\$3)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:51
S84	110	((rate\$3 adj3 change\$3) near3 spectru\$7) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:54
S85	0	((rate\$3 adj3 change\$3) near3 (frequecy near3 spectru\$7)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:54
S86	27	((rate\$3 adj3 change\$3) near3 (frequency near3 spectru\$7)) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 14:54
S87	305	(rate\$3 with request with re \$transmission) and (measur\$3 or determin\$5 or estimat\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:02
S88	29	(rate\$3 with request with re \$transmission) and (measur\$3 or determin\$5 or estimat\$3) near3 (frequency or spectrum \$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:03
S89	10	((re\$transmission or re \$transmit\$3) adj rate\$3) and (measur\$3 or determin\$5 or estimat\$3) near3 (frequency or spectrum\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:05
S90	0	((rate near3 change\$3) with (re \$transmission or re\$transmit\$3) adj rate\$3) and (measur\$3 or determin\$5 or estimat\$3) near3 (frequency or spectrum\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:07
S91	13	((rate near3 change\$3) with (re \$transmission or re\$transmit\$3) adj rate\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:08

S94	1	measur\$3 near3 rate\$3 with (corresp\$7 or base\$on or based \$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on) with (re\$transmission or re \$transmit\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:18
S95	12	(measur\$3 or determin\$5 or estimat\$3) near3 rate\$3 with (corresp\$7 or base\$on or based \$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (re\$transmission or re \$transmit\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:20
S96	4	(measur\$3 or determin\$5 or estimat\$3) near3 rate\$3 with (corresp\$7 or base\$on or based \$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on) adj5 (re\$transmission or re\$transmit\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:23
S97	4	rate\$3 adj5 (corresp\$7 or base \$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest \$3) near3 on)) adj5 (re \$transmission or re\$transmit\$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:26
S98	1557	("1" or one) adj parity adj bit and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 15:48
S99	8	("4" or four) near2 bit\$3 with generate\$3 with ("1" or one) adj parity adj bit and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 16:10
S104	628	spectr\$5 with (rate adj3 change \$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 16:22
S105	478	spectr\$5 with (rate adj change \$3) and @ad< "20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 16:22
S106	72	frequency near3 spectr\$5 with (rate adj change\$3) and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/10 16:23
S111	82	generate\$3 with parity adj bit with ("xor" or "xoring") and @ad<"20030814"	US-PGPUB; USPAT	OR	ON	2008/12/11 09:42

12/11/2008 4:42:39 PM

C:\ Documents and Settings\ fng\ My Documents\ EAST\ Workspaces\ 10568357.wsp